

Water Source Units

Model	Cooling Capacity	Water Flow	COP Cool	Pressure Drop	Power Supply	Air Flow	Dimensions		
							L	D	H
RS 12P-1	12400	3.3	2.8	1.7	220V/1PH/50Hz	450	89	60	40
RS 16P-1	15300	4.1	2.74	2.5	220V/1PH/50Hz	600	89	60	40
RS 22P-1	21200	5.4	3.4	2	220V/1PH/50Hz	800	89	60	40
RS 28P-1	28000	7.2	3.46	3	220V/1PH/50Hz	1000	105	60	45.5
RS 36P-1	35980	9.3	3.55	3.1	220V/1PH/50Hz	1200	105	60	45.5
RS 36P	35980	9.3	3.55	3.1	380V/3PH/50Hz	1200	105	60	45.5
RS 42P-1	40060	10.3	3.4	3.4	220V/1PH/50Hz	1400	127	60	53.5
RS 42P	40060	10.3	3.4	3.4	380V/3PH/50Hz	1400	127	60	53.5
RS 45P	43500	11.2	3.37	3.9	380V/3PH/50Hz	1600	127	60	53.5
RS 49P	50500	12.9	3.47	4	380V/3PH/50Hz	1800	127	60	53.5
RS 60P	59500	15.1	3.64	4.2	380V/3PH/50Hz	2000	139	69	55
RS 72P	73400	18.7	3.46	4.2	380V/3PH/50Hz	2500	139	69	55
RS 84P	87600	22.3	3.5	3.8	380V/3PH/50Hz	2800	155	74	61
RS 96P	99200	25.2	3.57	3.9	380V/3PH/50Hz	3200	155	74	61